# Floor Saw



# Floor Saw

## **Features**

- Comfortable grip handles
- Easy crank for raising/lowering cutting depth
- Hinged front, lift-up blade guard is designed to provide easy blade replacement
- Saw position guide helps ensure straight cuts
- Water system provides an optimum flow and volume of water to



ative fixed -depth cutting lock-pin(Q450)



Innovative fixed -depth cutting lock-pin(Q480)



Integrated gauge for accurate cutting



Semi self propelling(Q400)



Parking brake



Double water pipe for cooling both sides of blade

# HP-Q450 series

Model	HP-Q450H	HP-Q	450S	HP-Q450D
Engine	Petrol,Honda GX3	90 Petrol,Sub	oaru EX40	Diesel,HP186FA
Type of Combustion	Air-cooled,single cylinder,4-stroke			
Disc diamete	er(Options):350mm;40	0mm;450mm;500mm	Max. Cu	tting depth:14.5cm
Operating weight:116kg		Shipping size (packa	ge size):930x 6	310 x 1100mm

### HP-Q350 series

Model	HP-Q350H	HP-Q350R	HP-Q350S	HP-Q350D	
Engine	Petrol,Honda GX160	Petrol,Robin EY20	Petrol,Subaru EX17	Diesel,HP170F	
Type of Combustion	Air-cooled,single cylinder,4-stroke				
Disc diameter(Options):300mm;350mm		Max. Cutting depth:8cm			
Operating weight:64kg		Shipping size (package size):910x 500 x 860mm			
besideted (8	000000000000000000000000000000000000000				

(€



<sup>\*\*</sup>Other engines are available as requested
\*\*Features and specifications are subject to change without notification





### **Features**

- Comfortable grip handles
- Easy crank for raising/lowering cutting depth
- Hinged front, lift-up blade guard is designed to provide easy

blade replacement

- Saw position guide helps ensure straight cuts
- Water system provides an optimum flow and volume of water to

the blade



**Self-contained drive system**Self-contained differential drive system eliminating drive gear from rear wheels and related wear, It is simple to handle and maintain.

## HP-Q650 series

Model		HP-Q650H	HP-Q650D	
Engine	Pet	trol, Honda GX630	Diesel, HP2V86FE	
Type of Combustion		Air-cooled,twin cylinder,4-stroke		
Disc diameter(Options):600mm,650mm,700mm		Max. Cutting depth:250mm		
Operating weight:245kg Shipping size (p		Shipping size (pag	kage size):1500 x 950x 1270mm	

\*\*Other engines are available as requested
\*\*Features and specifications are subject to change without notification